

## SCHEDA PRODOTTO

REV 0.0 - IT202409

## **303 SCIVOLO CON SCALA H125**



ORGANIZATION WITH QUALITY MANAGEMENT SYSTEM ISO 9001: 2013 CRRITIFIED by EuCI European Certification Institute LTD certificate n.: 60712532(1902

ORGANIZATION WITH FRIVIRONMENTAL MANAGEMENT SYSTEM
ISO 14001;2015 CERTIFIED by
EUCI European Certification Institute LTD
Certificate No: GOTT2522E1801








COLLEZIONE	PLAYGROUND ESSENTIALS
DIMENSIONI (L x P x H) in cm	290 x 135 x 213
ALTEZZA CRITICA DI CADUTA	125
AREA MIN/MAX ANTITRAUMA	min. 24,00 m² - MAX 24,00 m²
ETÀ D'USO CONSIGLIATA	3+
COMPOSIZIONE	- n° 4 pali strutturali in legno o in alluminio 90 x 90 mm - n° 1 pedana in legno o in alluminio

- n° 2 parapetti in HDPE riciclato n° 1 scala con gradini in HDPE antiscivolo riciclato
- n° 1 scivolo modulare in PTE rotazionale H125
- n° 1 reggispinta in HDPE riciclato



Realizzare un idoneo fondo antitrauma in funzione dell'altezza critica di caduta. Manutenzione periodica obbligatoria come da piano consegnato al cliente.