

SCHEDA PRODOTTO

REV 2.1 - IT202003

498 ROBINSON




ORGANIZATION WITH QUALITY MANAGEMENT SYSTEM ISO 0001:2013 CRITIFIED by:
EuCI European Certification Institute LTD
Certificate N.: GOTT2532Q1902

ORCANIZATION WITH FIVINGNMENTAL MANAGEMENT SYSTEM
ISO 14001:2015 CERTIFIED by
EUCI European Certification Institute LTD
Certificate No: GOTT252211801



COLLEZIONE	PARTY LINE
DIMENSIONI (L x P x H) in cm	450 x 300 x 330
ALTEZZA CRITICA DI CADUTA	125
AREA MIN/MAX ANTITRAUMA	min. 40,00 m ² - MAX 45,00 m ²
ETÀ D'USO CONSIGLIATA	6 +
COMPOSIZIONE	- n°6 pali portanti in legno o in alluminio 9X9cm - n°2 pedane in legno o in alluminio - n°1 in lastra di HDPE - n°2 parapetti in metallo - n°2 parapetti in lastra di HDPE - n°1 arrampicata in metallo - n°1 arrampicata in lastra di HDPE - n°1 scaletta in metallo - n°1 scivolo modulare





Realizzare un idoneo fondo antitrauma in funzione dell'altezza critica di caduta. Manutenzione periodica obbligatoria come da piano consegnato al cliente.