

SCHEDA PRODOTTO

REV 1.0 - IT202405

917 YOSEMITE



ORGANIZATION WITH QUALITY MANAGEMENT SYSTEM ISO 9001:2015 CERTIFIED by EuCI European Certification Institute LTD Certificate N.: GOTT2532(1902

ORGANIZATION WITH ENVIRONMENTAL MANAGEMENT SYSTEM
1SO 14001:2015 CERTIFIED by
Eucl European Certification Institute LTD
Certificate No: GOTT2532E1801











COLLEZIONE	PLAYGROUND ESSENTIALS
DIMENSIONI (L x P x H) in cm	255 x 230 x 200
ALTEZZA CRITICA DI CADUTA	200
AREA MIN/MAX ANTITRAUMA	min. 42,25,00 m ² - MAX 42,25 m ²
ETÀ D'USO CONSIGLIATA	6 +
COMPOSIZIONE	 n° 6 pali in alluminio sez. quadrata 90x90mm n° 6 traverse di sostegno in acciaio inox verniciato a polvere n° 1 arrampicata in corda con appigli in HDPE n° 1 arrampicata in lastra HDPE n° 1 coppia di anelli n° 1 barra di trazione n° 1 quadro di rete n° 1 passamano orizzontale n° 1 doppia arrampicata a pioli in corda

AREA DI SICUREZZA

650





Realizzare un idoneo fondo antitrauma in funzione d ell'altezza critica di caduta. Manutenzione periodica obbligatoria come da piano consegnato al cliente.