

SCHEDA PRODOTTO

REV 1.0 - IT202104



ORGANIZATION WITH QUALITY MANAGEMENT SYSTEM ISO 9001: 2015 CERTIFIED by EUCI European Certification Institute LTD certificat N.: 607T2532Q1992

ORGANIZATION WITH ENVIRONMENTAL MANAGEMENT SYSTEM
ISO 14001:2015 CERTIFIED by
EUCI European Certification Institute LTD
Certificate No: GOTT2522(1801)









*

D	540 405 005
DIMENSIONI (L x P x H) in cm	510 x 165 x 285
ALTEZZA CRITICA DI CADUTA	160
AREA MIN/MAX ANTITRAUMA	min. 38,00 m² - MAX 42,50 m²
ETÀ D'USO CONSIGLIATA	5+
COMPOSIZIONE	- n°6 pali portanti in alluminio a sezione ottagonale - n°2 pedane in HDPE antiscivolo - n°1 parapetto in metallo - n°2 parapetti in lastra di HDPE - n°2 parapetti in lastra di HDPE con telaio in metallo - n°1 scala in HDPE antiscivolo - n°1 arrampicata in lastra di HDPE

COLLEZIONE PARTY LINE

AREA DI SICUREZZA

475

- n°4 decori in lastra di HDPE

- n°1 scivolo modulare in PTE rotazionale - n°1 reggispinta in lastra di HDPE

Realizzare un idoneo fondo antitrauma in funzione dell'altezza critica di caduta. Manutenzione periodica obbligatoria come da piano consegnato al cliente.