

SCHEDA PRODOTTO

REV 1.0 - IT202104



ORGANIZATION WITH QUALITY MANAGEMENT SYSTEM ISO 0001:2013 CRITIFIED by:
EuCI European Certification Institute LTD
Certificate N.: GOTT2532Q1902


ORGANIZATION WITH ENVIRONMENTAL MANAGEMENT SYSTEM
ISO 14001:2015 CERTIFIED by
EUCI European Certification Institute LTD
Certificate No: GOTT250211801

6090 TRITONE



COLLEZIONE	PARTY LINE
DIMENSIONI (L x P x H) in cm	605 x 405 x 370
ALTEZZA CRITICA DI CADUTA	150
AREA MIN/MAX ANTITRAUMA	min. 60,25 m ² - MAX 75,00 m ²
ETÀ D'USO CONSIGLIATA	5+
COMPOSIZIONE	- n°6 pali portanti in alluminio ottagonali Ø75 - n°2 pedane in HDPE antiscivolo - n°4 parapetti aperti in metallo - n°4 arrampicate in lastra di HDPE - n°2 scivoli doppi modulari in PTE rotazionale - n°2 decori in lastra di HDPE





Realizzare un idoneo fondo antitrauma in funzione dell'altezza critica di caduta. Manutenzione periodica obbligatoria come da piano consegnato al cliente.